

AC4000 MU-MIMO **Wi-Fi Router**

Unrivaled Tri-Band Performance







1625 Mbps + 1625 Mbps
+ 750 Mbps Tri-Band1.8 GHz
Quad-Core CPUImage: Smart
Quad-Core CPUSmart
ConnectImage: Smart
ConnectImage: Smart
Connect










Tri-Band for Multiple Connections

With one 2.4 GHz and two 5 GHz bands, the Archer A20 keeps all your devices connected without slowing down your network. Now, you can game and stream in 4K on multiple devices at the same time.

Powerful 1.8 GHz Quad-Core CPU

The powerful 1.8 GHz Quad-Core 64-bit processor, three co-processors and 512 MB of RAM work together to power your network.




Archer A20

MU-MIMO for Mutiple Connections


MU-MIMO technology supports router to serve multiple devices at once, reducing wait time, increasing Wi-Fi throughput for every device and making each stream more efficient.

HomeCare[™] for the Most Comprehensive Home Wi-Fi Security

Create a customized and more secure Wi-Fi network with TP-Link HomeCare[™]. Antivirus, Parental Controls and QoS powered by Trend Micro® give you the tools you need to fully manage your network.



Traditional Router Sends data to one device at a time



Simultaneously sends data to multiple devices



Powerful Parental controls keep your family safe while online.


Quality of Service prioritizes devices and applications for a faster network.


Smart Connect for Efficient Performance

Intelligently selects the best available Wi-Fi band for each device to keep connection at top-speed—without worry of weak or dropped connections.

Far-Reaching Wi-Fi Coverage


RangeBoost greatly improves ability of router to detect devices that are further away or low-powered, giving your network even greater coverage.






High-Speed Transmission Powered by Link Aggregation

Link aggregation accelerates data transfer to network-attached storage (NAS) devices by combining two separate Ethernet ports into a 2 Gbps connection.



TP-Link AC4000 MU-MIMO Wi-Fi Router Archer A20

Features






Speed

- Ultimate Wireless Speed Wireless speeds up to 750 Mbps on 2.4 GHz, 1625 Mbps on 5 GHz-1 and 1625 Mbps on 5 GHz-2
- NitroQAM Technology Uses NitroQAM (1024- QAM) modulation scheme for higher data throughput, boosting wireless speeds by up to 25%
- MU-MIMO Technology Simultaneously exchanges data with several devices, achieving speeds which are 3x faster than standard AC routers
- Support 802.11 ac Provides a data transfer rate 3 times faster than 802.11n for each stream
- Quad-core CPU 1.8 GHz quad-core CPU and 3 co-processors make multi-tasking easy and boost data transfer rate


Wi-Fi Range

- Ultimate Range Wi-Fi 6 high-performance antennas with a high-powered amplifier ensure the widespread Wi-Fi coverage and a stable connection
 Simultaneous Triple Band – Separate Wi-Fi bands enable more devices to connect to your network without a drop in performance
- Wi-Fi with Beamforming Beamforming technology locates the connected devices and further improves the Archer A20's range and the signal strength to each mobile device, delivering a more reliable and efficient wireless connection
 Easy Bandwidth Management Advanced QoS makes it easier for you to manage the bandwidth of connected devices
 Smart Connect Technology Smart Connect technology automatically selects the best Wi-Fi band for each device




Reliability

Features





- Intuitive Web UI Ensures quick and simple Installation without hassle
- Fast Encryption One-touch WPA wireless security encryption with the WPS button
- Easy On/Off Turn on/off wireless radio and LEDs separately using the Wi-Fi On/Off and LED On/Off buttons
- Power On/Off Conveniently power on or off your router as required
- Hassle-free Management with Tether App Network management is made easy with the TP-Link Tether App, available on any Android and iOS device



Security


- · Guest Network Keep your main network secure by creating a Dual USB Ports for Fast Sharing – With one ultra-fast USB 3.0 separate network for friends and visitors port and one USB 2.0 port, you can access and share your files and media locally. Through the router's FTP server, you can also · Access Control – Establish a whitelist or blacklist to allow or access your files and media from network devices remotely
- restrict certain devices to access the Internet
- 10x Faster Transfer Speed The USB 3.0 port provides up to · Homecare – Provides a kit of dynamic - Parental Controls, QoS 10x faster USB hard drive access than previous generation USB and Antivirus - to ensure safety, speed and security for everyone 2.0 connections in your network
- · Built-in Media Server Allows you to play music, watch videos · VPN Server – PPTP VPN and OpenVPN are supported, making it and view photos from any device on your network easy to set up a secure connection between your private network and the Internet
- Encryptions for Secure Network WPA-PSK and WPA2-PSK encryptions provide active protection against security threats

Easy Sharing

Specifications

Hardware

- Ethernet Ports: 4 10/100/1000 Mbps LAN Ports, 1 10/100/1000 Mbps WAN Port
- USB Ports: 1 USB 3.0 Port, 1 USB 2.0 Port
- Buttons: Wireless On/Off Button, LED On/Off Button, Power On/Off Button, WPS Button, Reset Button
- Antennas: 6 High Performance Antennas
- External Power Supply: 12V/4A
- Dimensions (W x D x H): 7.9×7.9×1.5 in. (200×200×39 mm)



Wireless

- 5 GHz
- Frequency: 2.4 GHz and 5 GHz

- FCC Transmit Power: <30 dBm (2.4 GHz & 5 GHz)
- · Reception Sensitivity: 5 GHz:

- 2.4 GHz:
- 11g 54Mbps: -78 dBm

· Wireless Standards: IEEE802.11b/g/n (support QAM1024) 2.4 GHz, IEEE 802.11ac/n/a

• Signal Rate: 1625 Mbps at 5 GHz-1, 1625 Mbps at 5 GHz-2, 750 Mbps at 2.4 GHz • CE EIRP: <20 dBm (2.4 GHz), <23 dBm (5 GHz)

11a 6 Mbps: -93 dBm, 11a 54 Mbps: -75 dBm 11ac VHT20(MCS0): -93 dBm, 11ac VHT20(MCS11): -62 dBm 11n HT40(MCS0): -89 dBm, 11ac HT40(MCS7): -70 dBm 11ac VHT80(MCS0): -88 dBm, 11ac VHT80(MCS11): -56 dBm

11n HT20(MCS0): -96 dBm, 11ac VHT20(MCS11): -65 dBm 11n HT40(MCS0): -93 dBm, 11ac VHT40(MCS11): -63 dBm Wireless Function: Enable/Disable Wireless Radio, WMM • Wireless Security: 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA-PSK2 encryptions

Specifications

Software

- · Quality of Service: WMM
- · WAN Type: Dynamic IP, Static IP, PPPoE, PPTP(Dual Access), L2TP(Dual Access), Bigpond
- · Management: Access Control, Local Management, Remote Management
- DHCP: Server, DHCP Client List, Address Reservation
- Port Forwarding: Virtual Server, Port Triggering, UPnP, DMZ
- · Dynamic DNS: TP-Link, NO-IP, DynDns
- · VPN Server: PPTP, Open VPN
- Access Control: Local Management Control, Host list, Rule Management
- Homecare: Parental Controls, QoS and Antivirus
- Firewall Security: SPI Firewall, IP and MAC Address Binding
- Protocols: IPv4, IPv6
- · USB Sharing: Supports Samba(Storage), FTP Server, Media Server
- · Guest Network: 2.4 GHz Guest Network x 1, 5 GHz Guest Network x 2

Others

- · Certification:
- CE, FCC, RoHS
- System Requirements: NetWare, UNIX or Linux
- Java-enabled browser
- Cable or DSL Modem
- Environment:

- Package Contents
- Wireless Router Archer A20
- Power Adapter
- **RJ45 Ethernet Cable**
- Quick Installation Guide



For more information, please visit

https://www.tp-link.com/us/products/details/Archer-A20.html

or scan the QR code left

Attention: This device may only be used indoors in all EU member states and EFTA countries.

Specifications are subject to change without notice. TP-Link is a registered trademarks or registered trademarks of their respective holders. Copyright ©2019 TP-Link Technologies Co., Ltd. All rights reserved. * Maximum wireless transmission rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless transmission rate and wireless transmission rate and wireless transmission rates are based on test results under normal usage conditions. 1) environmental factors, including building materials, physical objects and obstacles, 2) network complexity, and network overhead and 3) client limitations, including rated performance, location, connection quality, and client condition.

*Use of MU-MIMO requires clients to also support MU-MIMO.

Microsoft Windows 98SE/NT/2000/XP/Vista™/7/8/8.1/10, MAC OS,

Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0, or other

Subscription with an Internet Service Provider (for internet access)

Operating Temperature: 0°C~40°C (32°F ~104°F)

Storage Temperature: -40°C~70°C (-40°F ~158°F)

Operating Humidity: 10%~90% non-condensing

Storage Humidity: 5%~90% non-condensing

www.tp-link.com TP-Link AC4000 MU-MIMO Wi-Fi Router Archer A20