



Cradlepoint ARC MBR1400 Series

INTEGRATED MOBILE BROADBAND ROUTER

Wireless WAN connectivity for distributed business locations



Keep your business network online with high-speed wireless broadband

WIRELESS WAN CONNECTIVITY

Cradlepoint ARC MBR1400 Series routers enable easy-to-install wireless connectivity in fixed-business locations. Ideal for distributed enterprises such as branch offices, retail POS locations, restaurants, and small businesses, the MBR1400 provides wired Ethernet and 3G/4G wireless WAN connectivity to keep your business up and running.

BUSINESS CONTINUITY

As businesses increasingly depend on cloud computing and remote applications, reliable Internet connectivity becomes mission-critical for business success. Cradlepoint's integrated business series routers combine the power and flexibility of the MBR1400 router with an embedded business-grade wireless WAN modem for a fully-integrated business continuity solution (non-integrated option available).

ENTERPRISE PERFORMANCE

The ARC MBR1400 Series routers offer the latest in high-speed 3G/4G wireless connectivity to deliver the continuous uptime and bandwidth needed to support growth in cloud computing and ensure against loss of productivity and business opportunity.

SECURE AND RELIABLE

- LAN connections are protected with advanced WiFi encryption, LAN Segmentation, and VLAN capabilities.
- Main office access and POS transactions are protected by VPN capability and other security features to ensure your network stays secure.
- Designed for PCI compliant network architectures.
- Engineered for day-in, day-out 24/7 Internet connectivity, Cradlepoint integrated business series routers ensure reliable connections when you need them.

cradlepoint.com/ARCMBR1400

FLEXIBLE

- Use the integrated 3G/4G wireless modem as the primary connection or as failover from a wired connection.
- Create secondary networks to simplify PCI compliance, video surveillance, digital signs, kiosks, etc.
- Load balance across multiple wired and wireless connections when additional bandwidth is required.
- Deploy IPv6

CRADLEPOINT ENTERPRISE CLOUD MANAGER

Rapidly deploy and dynamically manage networks at geographically distributed stores and branch locations with Enterprise Cloud Manager, Cradlepoint's next generation application platform. Improve productivity, increase reliability, reduce costs, and enhance the intelligence of your network and business operations.

Subscription required. See cradlepoint.com/ecm for details.

EXTENDED ENTERPRISE LICENSE


Cradlepoint's Extended Enterprise License provides advanced routing and security features: BGP, OSPF, RIP, VRRP, STP, NHRP, OpenVPN (SSL VPN), L2TP, NEMO/DMNR, WPA2 Enterprise Authentication for WiFi as WAN, and seamless integration with Zscaler's secure web gateway.

Subscription required. See cradlepoint.com/eel for details.

CRADLECARE SUPPORT

The MBR1400 comes with a standard 1 year hardware warranty. For extended warranties and enterprise-level support, check out Cradlepoint's CradleCare suite.

Subscription required. See cradlepoint.com/cradlecare for details.



ARC MBR1400 Integrated Mobile Broadband Router

Key Features and Benefits

Internet Access and Device Connectivity

Integrated high-speed 3G/4G modem – see attached specifications (non-integrated option available)

5 Ethernet 10/100/1000 LAN/WAN ports for local devices or landline Internet

WiFi (802.11 a/b/g/n) supports up to 128 connections at a time

Business Continuity

Automatic failover to wireless WAN connection when wired WAN disruption occurs, automatic failback when wired WAN connection is restored

Load balancing across multiple wired and wireless WANs for more bandwidth

Proactive alerts when failover occurs through Enterprise Cloud Manager

VRRP for enterprise router redundancy¹

Flexibility

First-time and advanced setup wizards for easy, swift, and secure setup

One-page dashboard to view router status and configuration

Remote management with Cradlepoint Enterprise Cloud Manager

Multi-Carrier Software-Defined Radio with LPE models

SNMP v1/2c/3, CLI over SSH, and SMS

Four SSIDs, with individual security and QoS settings, to separate critical traffic or create a public WiFi hotspot with a captive portal (terms of service, ads, etc.)

“WiFi as WAN” mode enables use as a WiFi repeater, WiFi Bridge, or as a WiFi-to-Ethernet adapter for Ethernet-enabled devices

Multiple Ethernet ports in LAN or WAN mode (failover, load balancing, etc.)

Data usage management and alerts to monitor data usage and avoid overages

LAN/WAN Affinity to assign specific LAN traffic to a WAN

Serial console for out-of-band management of another device (with USB-to-serial cable)

Enterprise routing protocols:¹ BGP, OSPF, RIP

Advanced diagnostics tools including: tcpdump, netfilter, traceroute

Network Mobility (NEMO) support for session continuity in mobile networks¹

IPv6 support

Advanced APN management, roaming control, and ability to force 3G or 4G bands

Security

IPsec VPN (up to 20 concurrent sessions) with GRE Tunneling option, also supports passthrough VPN connections (IPsec, L2TP, PPTP)

OpenVPN (SSL VPN)¹

Layer 2 Tunneling Protocol (L2TP)¹

WEP, WPA, WPA2, and AES encryption for secure WiFi

SPI (stateful packet inspection) firewall and NAT (network address translation) to prevent unwanted access to connected computers

Zone-based firewall

Advanced security mode and reporting to facilitate PCI-DSS compliance

Variety of security features (URL filtering, IP & traffic filtering, DMZ, port forwarding) for safer Internet access

WPA2 Enterprise Authentication for WiFi as WAN¹

Seamless integration with Zscaler’s secure web gateway¹

802.1Q VLAN support to isolate, segment, and secure your network

Support and Warranty

CradleCare Support available with technical support, software upgrades, and advanced hardware exchange – 1-, 3-, and 5-year options

Limited 1-year warranty included with hardware repair or replacement – extend warranty to 2, 3, or 5 years

Specifications

WAN Wireless WAN modem, 10/100/1000 Ethernet ports (cable/DSL/T1/satellite modems), WiFi (as WAN) 3x3 MIMO “N” 2.4 GHz or 5 GHz (802.11 a/b/g/n)

LAN WiFi (802.11 a/b/g/n), five 10/100/1000 Ethernet ports (WAN/LAN switchable), serial console support w/ USB-to-serial adapter

TEMPERATURE 0°C to 40°C (32°F to 104°F) operating
–20°C to 70°C (–4°F to 158°F) storage

RELATIVE HUMIDITY (non-condensing) 10% to 85%, operating
5% to 90%, storage

SIZE 9x5.1x1.6 in (230x130x40 mm) or 9x7.25x1.6 in (230x185x40 mm)

CERTIFICATIONS FCC, WiFi Alliance, CE, IC, carrier certifications

WIFI POWER Transmit power: 25 dBm typ for all modes; receive sensitivity: –69 dBm typ (11n), –72 dBm typ (11g), –84 dBm typ (11b)

What’s In The Box

ARC MBR1400 with integrated business-class wireless WAN modem (no modem option available)

External 3G or 4G mobile broadband modem antennas (2) (SMA) w/ multiplexing for GPS (on some models), finger tighten only

External high-gain WiFi antennas (3) reverse SMA (5 dBi, 2.4 GHz), finger tighten only

12V / 1.5A power supply

Quick Start Guide with warranty information

Requirements

Internet Service Active mobile broadband plan with cellular provider or Ethernet-based Internet connection (DSL, Cable, T1)

Browser (to configure router) Minimum of Firefox v2.0, Internet Explorer v7.0, Chrome, or Safari v1.0

Router Details

WAN Security NAT, SPI, ALG, inbound filtering of IP addresses, port blocking, service filtering (FTP, SMTP, HTTP, RPL, SNMP, DNS, ICMP, NNTP, POP3, SSH), protocol filtering, WAN ping (allow/ignore), 802.1x Ethernet port security²

Redundancy and Load Balancing Failover/failback with 4G, 3G, Ethernet with rule selection, advanced load balancing options (round robin, spillover, data usage, rate), WAN failure detection, VRRP¹

Intelligent Routing UPnP, DMZ, virtual server/port forwarding, routing rules, NAT-less routing, wired or wireless WAN-to-LAN IP passthrough, route management, per-interface routing, content filtering, IP filtering, website filtering, per-client Web filtering, zone-based firewall, local DHCP server, DHCP client, DHCP relay,² DNS, DNS proxy; ALGs: PPTP, L2TP, PPPoE passthrough, IPsec passthrough, FTP (passive), FTP (active), SIP, TFTP, IRC, MAC address filtering, Dynamic DNS, LAN/WAN affinity, VLAN support (802.1Q), STP,¹ enterprise routing protocols:¹ BGP/OSPF/RIP, multicast proxy support,² IP setting overrides, IPv6

Management Cradlepoint Enterprise Cloud Manager: cloud-enabled management and application platform (subscription-based); web-based GUI (local management), optional RADIUS or TACACS+ username/password; remote WAN web-based management w/ access control (HTTP, HTTPS); SNMP v1, v2c, & v3; CLI over SSH, SSH to serial, SSH to telnet; API; one-button firmware upgrade; modem configuration, update, and management; modem data usage w/ alerts, per-client data usage; custom AT scripting to modems; SMS

Performance & Health Monitoring Advanced QoS with traffic shaping, with DSCP/DiffServe QoS, Modem Health Management (MHM) improves connectivity of modem, SSID-based priority, WAN port speed control, several levels of basic and advanced logging for troubleshooting

VPN (IPsec) Tunnel, NAT-T, and transport modes; connect to Cradlepoint, Cisco/Linksys, CheckPoint, Watchguard, Juniper, SonicWall, Adtran and others; certificate support; Hash (MD5, SHA128, SHA256, SHA384, SHA512), Cipher (AES, 3DES, DES); support for 20 concurrent connections, GRE tunneling, multiple networks supported in a single tunnel, site-to-site dynamic VPN with NHRP,¹ OpenVPN,¹ L2TP¹

GPS Standalone GPS supported on most models (see attached); GUI mapping as well as local (LAN) or remote (WAN) server logging

- 1) Requires an Extended Enterprise License and hardware version 2.0
- 2) Requires hardware version 2.0

One-year limited hardware warranty available in the US and Canada; two-year limited hardware warranty for integrated EU products when purchased from an authorized EU distributor. Product specifications are subject to change without notice, and product appearance may differ from image depicted in this document. This product requires either an active subscription from a wireless service provider or an Ethernet-based broadband service from an Internet service provider to receive Internet service. Check with your broadband provider for service coverage, fees, and other charges. © 2015 Cradlepoint, Inc. All rights reserved. Cradlepoint and the Cradlepoint logo are trademarks of Cradlepoint, Inc. in the US and other countries. Other trademarks are the property of their respective owners.

Cradlepoint Proprietary and Confidential | ©2014-2015 Cradlepoint, Inc. All Rights Reserved. | Information subject to change without notice.

Ordering information

ARC MBR1400 Integrated Business Series Routers	
ARC MBR1400LPE-VZ*	Business series router with dual-mode, high-performance 4G LTE / HSPA+ / EVDO wireless WAN connection for the Verizon network (802.11 a/b/g/n WiFi)
ARC MBR1400LPE-AT*	Business series router with dual-mode, high-performance 4G LTE / HSPA+ / EVDO wireless WAN connection for the AT&T network (802.11 a/b/g/n WiFi)
ARC MBR1400LPE-SP*	Business series router with dual-mode, high-performance 4G LTE / HSPA+ / EVDO wireless WAN connection for the Sprint network (802.11 a/b/g/n WiFi)
ARC MBR1400LPE-GN*	Business series router with dual-mode, high-performance 4G LTE / HSPA+ / EVDO wireless WAN connection for T-Mobile/Canada (802.11 a/b/g/n WiFi)
MBR1400	Cradlepoint's mission-critical business series router with 802.11 a/b/g/n

* LPE models include Multi-Carrier Software-Defined Radio technology which provides customers with the flexibility to remotely or locally expand their coverage options, reduce inventory risk, and future-proof their carrier networks.

Discontinued Models

ARC MBR1400 Integrated Business Series Routers	
ARC MBR1400LP3-EU**	Business series router with dual-mode, high-performance 4G LTE / HSPA+ wireless WAN connection for Europe (802.11 a/b/g/n WiFi)
ARC MBR1400LE-VZ**	Business series router with dual-mode, high-performance 4G LTE / EVDO wireless WAN connection for the Verizon network (802.11 a/b/g/n WiFi)
ARC MBR1400LP-AT**	Business series router with dual-mode, high-performance 4G LTE / HSPA+ wireless WAN connection for the AT&T network (802.11 a/b/g/n WiFi)
ARC MBR1400LE2-SP**	Business series router with dual-mode, high-performance 4G LTE / EVDO wireless WAN connection for the Sprint network (802.11 a/b/g/n WiFi)
ARC MBR1400LP2-EU**	Business series router with dual-mode, high-performance 4G LTE / HSPA+ wireless WAN connection for Europe (802.11 a/b/g/n WiFi)
ARC MBR1400LP**	Business series router with dual-mode, high-performance 4G LTE / HSPA+ wireless WAN connection for T-Mobile/Canada (802.11 a/b/g/n WiFi)

** Discontinued Models are no longer available for sale. For more information on Cradlepoint's End-of-Life policy visit: <http://knowledgebase.cradlepoint.com/articles/Support/Product-End-of-Life-Policy>

Accessories (see Cradlepoint's antenna ordering and installation guide for more information)	
Part # 170587-000	Directional Patch antennas for external (outside) mounting
Part # 170588-000	Directional Yagi (Log-Periodic) antennas for external (outside) mounting
Part # 170586-000	Omni-directional antennas for external (outside) mounting
Part # 170605-000	12" Mag-mount antenna
Part # 170606-000	4" Mini mag-mount antenna

One-year limited hardware warranty available in the US and Canada; two-year limited hardware warranty for integrated EU products when purchased from an authorized EU distributor. Product specifications are subject to change without notice, and product appearance may differ from image depicted in this document. This product requires either an active subscription from a wireless service provider or an Ethernet-based broadband service from an Internet service provider to receive Internet service. Check with your broadband provider for service coverage, fees, and other charges. © 2015 Cradlepoint, Inc. All rights reserved. Cradlepoint and the Cradlepoint logo are trademarks of Cradlepoint, Inc. in the US and other countries. Other trademarks are the property of their respective owners.

Cradlepoint Proprietary and Confidential | ©2014-2015 Cradlepoint, Inc. All Rights Reserved. | Information subject to change without notice.



DEPLOY AND MANAGE THE INTELLIGENT NETWORK



Rapidly deploy and dynamically manage networks at geographically distributed locations with Enterprise Cloud Manager, Cradlepoint's next generation application platform. Improve productivity, reduce costs, and enhance the intelligence of your network and business operations.

- **DEPLOYMENT** – configure devices by groups or individually, and update firmware easily with a few clicks.
- **MANAGEMENT** – monitor device statuses in real-time and set proactive alerts for optimized 3G/4G data usage and network uptime.
- **INTELLIGENCE** – view network analytics and manage security and PCI compliance.

Annual and multi-year licenses available. See cradlepoint.com/ecm for details.

CradleCare Support	
CradleCare Support	When your applications are mission critical, you need the assurance that only the CradleCare Support plan can provide, including unlimited technical support, software upgrades, and advanced hardware exchange – 1-, 3-, and 5-year plans available.
CradleCare Extended Warranty	This plan represents an extension of the standard 1-year Cradlepoint warranty to 2, 3, or 5 years, with hardware repair/replacement.

One-year limited hardware warranty available in the US and Canada; two-year limited hardware warranty for integrated EU products when purchased from an authorized EU distributor. Product specifications are subject to change without notice, and product appearance may differ from image depicted in this document. This product requires either an active subscription from a wireless service provider or an Ethernet-based broadband service from an Internet service provider to receive Internet service. Check with your broadband provider for service coverage, fees, and other charges. © 2015 Cradlepoint, Inc. All rights reserved. Cradlepoint and the Cradlepoint logo are trademarks of Cradlepoint, Inc. in the US and other countries. Other trademarks are the property of their respective owners.

ARC SERIES INTEGRATED MODEM SPECIFICATIONS: VERIZON

ARC MBR1400LPE-VZ 4G LTE/HSPA+/EVDO for Verizon
Technology: LTE, HSPA+, EVDO Rev A
Downlink Rates: LTE 100 Mbps, HSPA+ 21.1 Mbps, EVDO 3.1 Mbps (theoretical)
Uplink Rates: LTE 50 Mbps, HSPA+ 5.76 Mbps, EVDO 1.8 Mbps (theoretical)
Frequency Bands: <ul style="list-style-type: none">• LTE Band 2 (1900 MHz), Band 4 - AWS (1700/2100 MHz), Band 5 (850 MHz), Band 13 (700 MHz), Band 17 (700 MHz), Band 25 (1900 MHz)• HSPA+/UMTS (850/900/1900/2100 MHz, AWS)• GSM/GPRS/EDGE (850/900/1800/1900 MHz)• CDMA EVDO Rev A/1xRTT (800/1900 MHz)
Power: LTE 23 dBm +/- 1, HSPA+ 23 dBm +/- 1, EVDO 24 dBm +0.5/- 1 (typical conducted)
Antennas: two SMA male (plug), 1 dBi (LTE), 2dBi (Cellular/PCS) gain; finger tighten only (maximum torque spec is 7 kgf-cm)
GPS: active GPS support
Industry Standards & Certs: FCC, Verizon
Modem Part Number: MC400LPE

Please note that LPE models are flexible and support bands for multiple cellular providers; however, only the frequency bands in bold are supported by the listed provider.

ARC SERIES INTEGRATED MODEM SPECIFICATIONS: AT&T

ARC MBR1400LPE-AT	4G LTE/HSPA+/EVDO for AT&T
Technology: LTE, HSPA+, EVDO Rev A	
Downlink Rates: LTE 100 Mbps, HSPA+ 21.1 Mbps, EVDO 3.1 Mbps (theoretical)	
Uplink Rates: LTE 50 Mbps, HSPA+ 5.76 Mbps, EVDO 1.8 Mbps (theoretical)	
Frequency Bands: <ul style="list-style-type: none">• LTE Band 2 (1900 MHz), Band 4 - AWS (1700/2100 MHz), Band 5 (850 MHz), Band 13 (700 MHz), Band 17 (700 MHz), Band 25 (1900 MHz)• HSPA+/UMTS (850/900/1900/2100 MHz, AWS)• GSM/GPRS/EDGE (850/900/1800/1900 MHz)• CDMA EVDO Rev A/1xRTT (800/1900 MHz)	
Power: LTE 23 dBm +/- 1, HSPA+ 23 dBm +/- 1, EVDO 24 dBm +0.5/- 1 (typical conducted)	
Antennas: two SMA male (plug), 1 dBi (LTE), 2 dBi (Cellular/PCS) gain; finger tighten only (maximum torque spec is 7 kgf-cm)	
GPS: active GPS support	
Industry Standards & Certs: PTCRB, FCC, IC, AT&T	
Modem Part Number: MC400LPE	

Please note that LPE models are flexible and support bands for multiple cellular providers; however, only the frequency bands in bold are supported by the listed provider.

ARC SERIES INTEGRATED MODEM SPECIFICATIONS: SPRINT

ARC MBR1400LPE-SP	4G LTE/HSPA+/EVDO for Sprint
Technology: LTE, HSPA+, EVDO Rev A	
Downlink Rates: LTE 100 Mbps, HSPA+ 21.1 Mbps, EVDO 3.1 Mbps (theoretical)	
Uplink Rates: LTE 50 Mbps, HSPA+ 5.76 Mbps, EVDO 1.8 Mbps (theoretical)	
Frequency Bands: <ul style="list-style-type: none">• LTE Band 2 (1900 MHz), Band 4 – AWS (1700/2100 MHz), Band 5 (850MHz), Band 13 (700 MHz), Band 17 (700 MHz), Band 25 (1900 MHz)• HSPA+/UMTS (850/900/1900/2100 MHz, AWS)• GSM/GPRS/EDGE (850/900/1800/1900 MHz)• CDMA EVDO Rev A/1xRTT (800/1900 MHz)	
Power: LTE 23 dBm +/- 1, HSPA+ 23 dBm +/- 1, EVDO 24 dBm +0.5/- 1 (typical conducted)	
Antennas: two SMA male (plug), 1 dBi (LTE), 2 dBi (Cellular/PCS) gain; finger tighten only (maximum torque spec is 7 kgf-cm)	
GPS: active GPS support	
Industry Standards & Certs: FCC, Sprint	
Modem Part Number: MC400LPE	

Please note that LPE models are flexible and support bands for multiple cellular providers; however, only the frequency bands in bold are supported by the listed provider.

ARC SERIES INTEGRATED MODEM SPECIFICATIONS: EUROPE

ARC MBR1400LP3-EU	4G LTE/HSPA+ for Europe
Technology: LTE, HSPA+	
Downlink Rates: LTE 100 Mbps, HSPA+ 21.1 Mbps (theoretical)	
Uplink Rates: LTE 50 Mbps, HSPA+ 5.76 Mbps (theoretical)	
Frequency Bands: <ul style="list-style-type: none">• LTE Band 1 (2100 MHz), Band 3 (1800 MHz), Band 7 (2600 MHz), Band 8 (900 MHz), Band 20 (800 MHz)• HSPA+/UMTS (800/850/900/1900/2100 MHz)• GSM/GPRS/EDGE Quad-Band (850/900/1800/1900 MHz)	
Power: LTE Band 1/3/8/20 – 23 dBm +/- 1, LTE Band 7 – 22 dBm +/- 1, HSPA+ 23 dBm +/- 1 (typical conducted)	
Antennas: two SMA male (plug), 1 dBi (LTE), 2 dBi (Cellular/PCS) gain; finger tighten only	
GPS: active GPS support	
Industry Standards & Certs: CE, GCF-CC	
Modem Part Number: MC400LP3	

Cradlepoint products with the -EU SKUs enable and disable WiFi channels to comply with EU law. The -EU SKUs are required for use in Europe for products with 5 GHz WiFi, but these products are not legal for use in North America.

ARC SERIES INTEGRATED MODEM SPECIFICATIONS: T-Mobile/Canada

ARC MBR1400LPE-GN* 4G LTE/HSPA+/EVDO T-Mobile/Canada
Technology: LTE, HSPA+, EVDO Rev A
Downlink Rates: LTE 100 Mbps, HSPA+ 21.1 Mbps, EVDO 3.1 Mbps (theoretical)
Uplink Rates: LTE 50 Mbps, HSPA+ 5.76 Mbps, EVDO 1.8 Mbps (theoretical)
Frequency Bands: <ul style="list-style-type: none"> • LTE Band 2 (1900 MHz), Band 4 (AWS), Band 5 (850 MHz), Band 13 (700 MHz), Band 17 (700 MHz), Band 25 (1900 MHz) • HSPA+/UMTS (850/900/1900/2100 MHz, AWS) • GSM/GPRS/EDGE (850/900/1800/1900 MHz) • CDMA EVDO Rev A/1xRTT (800/1900 MHz)
Power: LTE 23 dBm +/- 1, HSPA+ 23 dBm +/- 1, EVDO 24 dBm +0.5/- 1 (typical conducted)
Antennas: two SMA male (plug), 1 dBi (LTE), 2 dBi (Cellular/PCS) gain; finger tighten only (maximum torque spec is 7 kgf-cm)
GPS: active GPS support
Industry Standards & Certs: PTCRB, FCC, IC
Modem Part Number: MC400LPE

*For use on T-Mobile in the U.S. and Rogers, Bell, & TELUS in Canada

ARC MBR1400LP 4G/3G LTE/HSPA+ T-Mobile/Canada
Technology: LTE, HSPA+
Downlink Rates: LTE 100 Mbps, HSPA+ 21.1 Mbps (theoretical)
Uplink Rates: LTE 50 Mbps, HSPA+ 5.76 Mbps (theoretical)
Frequency Bands: <ul style="list-style-type: none"> • LTE Band 17 (700 MHz), Band 4 (AWS) • HSPA+/UMTS (850/1900/2100 MHz) • GSM/GPRS/EDGE (850/900/1800/1900 MHz)
Power: LTE 23 dBm +/- 1, UMTS 23 dBm +/- 1 (typical conducted)
Antennas: two SMA male (plug), 1 dBi (LTE), 2 dBi (Cellular/PCS) gain; finger tighten only; support for GPS on aux connection
GPS: standalone GPS support
Industry Standards & Certs: PTCRB, FCC, IC
Modem Part Number: MC200LP

ARC SERIES DISCONTINUED MODELS

The following models have been discontinued and are no longer available for sale. For more information on Cradlepoint's End-of-Life policy visit:

<http://knowledgebase.cradlepoint.com/articles/Support/Product-End-of-Life-Policy>

ARC MBR1400LE-VZ	4G/3G LTE/EVDO for Verizon
Technology: LTE, EVDO Rev A	
Downlink Rates: LTE 100 Mbps, EVDO 3.1 Mbps (theoretical)	
Uplink Rates: LTE 50 Mbps, EVDO 1.8 Mbps (theoretical)	
Frequency Bands: <ul style="list-style-type: none"> • LTE Band 13 (700 MHz) • CDMA EVDO Rev A/1xRTT (800/1900 MHz) 	
Power: LTE 23 dBm +/- 1, EVDO 24 dBm +/- 1 (typical conducted)	
Antennas: two SMA male (plug), 1 dBi (LTE), 2 dBi (Cellular/PCS) gain; finger tighten only; maximum torque spec is 7 kgf-cm	
GPS: standalone GPS support	
Industry Standards & Certs: FCC, Verizon	
Modem Part Number: MC200LE	

ARC MBR1400LP-AT	4G/3G LTE/HSPA+ for AT&T
Technology: LTE, HSPA+	
Downlink Rates: LTE 100 Mbps, HSPA+ 21.1 Mbps (theoretical)	
Uplink Rates: LTE 50 Mbps, HSPA+ 5.76 Mbps (theoretical)	
Frequency Bands: <ul style="list-style-type: none"> • LTE Band 17 (700 MHz), Band 4 (AWS) • HSPA+/UMTS (850/1900/2100 MHz) • GSM/GPRS/EDGE (850/900/1800/1900 MHz) 	
Power: LTE 23 dBm +/- 1, UMTS 23 dBm +/- 1 (typical conducted)	
Antennas: two SMA male (plug), 1 dBi (LTE), 2 dBi (Cellular/PCS) gain; finger tighten only; support for GPS on aux connection	
GPS: standalone GPS support	
Industry Standards & Certs: PTCRB, FCC, IC, AT&T	
Modem Part Number: MC200LP	

ARC SERIES DISCONTINUED MODELS

The following models have been discontinued and are no longer available for sale. For more information on Cradlepoint's End-of-Life policy visit:

<http://knowledgebase.cradlepoint.com/articles/Support/Product-End-of-Life-Policy>

ARC MBR1400LE2-SP	4G/3G LTE/EVDO for Sprint
Technology: LTE, EVDO Rev A	
Downlink Rates: LTE 100 Mbps, EVDO 3.1 Mbps (theoretical)	
Uplink Rates: LTE 50 Mbps, EVDO 1.8 Mbps (theoretical)	
Frequency Bands: <ul style="list-style-type: none"> • LTE Band 25 (1900 MHz) • CDMA EVDO Rev A/1xRTT (800/1900 MHz) 	
Power: LTE 23 dBm +/- 1, EVDO 24 dBm +/- 1 (typical conducted)	
Antennas: two SMA male (plug); finger tighten only; maximum torque spec is 7 kgf-cm	
GPS: standalone GPS support	
Industry Standards & Certs: FCC, Sprint	
Modem Part Number: MC200LE2	

ARC MBR1400LP2-EU	4G/3G LTE/HSPA+ for Europe
Technology: LTE, HSPA+	
Downlink Rates: LTE 100 Mbps, HSPA+ 21.1 Mbps (theoretical)	
Uplink Rates: LTE 50 Mbps, HSPA+ 5.76 Mbps (theoretical)	
Frequency Bands: <ul style="list-style-type: none"> • LTE (800/900/1800/2100/2600 MHz) • HSPA+/UMTS (900/2100 MHz) • GSM/GPRS/EDGE (900/1800/1900 MHz) 	
Power: LTE 23 dBm +/- 1, UMTS 23 dBm +/- 1 (typical conducted)	
Antennas: two SMA male (plug), 1 dBi (LTE), 2 dBi (Cellular/PCS) gain; finger tighten only; support for GPS on aux connection	
GPS: standalone GPS support	
Industry Standards & Certs: CE, GCF-CC	
Modem Part Number: MC200LP2	

ARC SERIES DISCONTINUED MODELS

The following models have been discontinued and are no longer available for sale. For more information on Cradlepoint's End-of-Life policy visit:

<http://knowledgebase.cradlepoint.com/articles/Support/Product-End-of-Life-Policy>

ARC MBR1400LP Mobile/Canada	4G/3G LTE/HSPA+ T-
Technology: LTE, HSPA+	
Downlink Rates: LTE 100 Mbps, HSPA+ 21.1 Mbps (theoretical)	
Uplink Rates: LTE 50 Mbps, HSPA+ 5.76 Mbps (theoretical)	
Frequency Bands: <ul style="list-style-type: none">• LTE Band 17 (700 MHz), Band 4 (AWS)• HSPA+/UMTS (850/1900/2100 MHz)• GSM/GPRS/EDGE (850/900/1800/1900 MHz)	
Power: LTE 23 dBm +/- 1, UMTS 23 dBm +/- 1 (typical conducted)	
Antennas: two SMA male (plug), 1 dBi (LTE), 2 dBi (Cellular/PCS) gain; finger tighten only; support for GPS on aux connection	
GPS: standalone GPS support	
Industry Standards & Certs: PTCRB, FCC, IC	
Modem Part Number: MC200LP	