

MBR-N720 **3G/3.5G Wireless-N Mobile router**

MBR-N720 is 3G/3.5G Mobile Router will offer subscribers of wireless carriers the ability to share Mobile Broadband access at speeds up to 7.2Mbit/s, and 802.11b/g/n connected stations from anywhere a compatible 3G/3.5G mobile signal is available.

MBR-N720 Mobile Router is also good for ITSP, multi-branch offices or SOHO & Hot Spot applications combined with wireless broadband accessing.




Features:

- **Protocol**
 - DHCP Server / Client
 - HTTP Server
 - DNS Relay
 - IGMP v1/v2/3 Proxy
 - SNTP Client
 - uPnP
 - LLTD
- **DDNS Support**
 - Dyndns
 - freedns
 - zoneedit
 - no-ip
- **VPN Pass-Through**
 - IPSec
 - L2TP
 - PPTP
- **VPN Client**
 - L2TP
 - PPTP
- **IP Filter**
- **Port Filter**
- **MAC Filter**
- **Port Forwarding**
- **DMZ**
- **Firewall**
- **Virtual Server**
- **Wireless Operation Mode**
 - AP Mode
 - Bridge Mode
 - WDS Repeater Mode

Specification:

| WWAN Characteristics | | Physical Characteristics | |
|------------------------|--------------------------------|--------------------------|--|
| USB Port | HSUPA / HSDPA / EVDO | Antenna | Internal WiFi Antenna |
| | UMTS / EDGE / CDMA 1x Card | Button | WPS Load Default |
| LAN Characteristics | | Ports | Power Jack |
| Standard | IEEE802.3, IEEE802.3u | | RJ-45 Jack |
| Data Rate | 10/100Mbps | | USB 2.0 Host |
| WLAN Characteristics | | LED | Power |
| Standard | IEEE802.11b/g/n 1T1R | | WWAN Link & Activity |
| Frequency Range | 2.4 GHz | | WiFi Link & Activity |
| Operating Channels | FCC: 1 ~11 | Dimensions | WPS Link & Activity |
| | ETSI: 1 ~ 13 Japan: 1 ~ 14 | | H: 133 x W: 90 x D: 24 mm |
| Effect Range | Indoor: Up to 70 M | Weight | 275g |
| | Outdoor: Up to 200~250M | Environmental | |
| WiFi Security | WEP Key None/64/128 bits | Temperature | Operating: 0 ~ 50 ℃ Storage: -30 ~ 70 ℃ |
| | WPA (personal and enterprise) | Humidity | 10% ~ 95% (Non-Condensing) |
| | WPA2 (personal and enterprise) | | Certifications |
| Router Characteristics | | EMC/EM | |
| Feature | DHCP Server | FCC Class B, CE | |
| | DMZ Support | | |
| | IP Sharing | | |
| | MAC Access Control | | |
| | Up to 256 clients | | |
| | Multiple BSSID | | |

Application:



Ordering Information:

MBR-N720-L1B: 3G/3.5G Wireless-N Mobile router (black case)

MBR-N720-L1W: 3G/3.5G Wireless-N Mobile router (white case)

** Product specification subject to change without notice*

Mobile Router