

The Wireless-G Networking Solution with SpeedBooster

PRODUCT DATA



All-in-one Internet-sharing Router, 4-port Switch, and SpeedBooster performance enhanced Wireless-G Access Point

Shares a single Internet connection and other resources with Ethernet wired, Wireless-G, -B, and SpeedBooster devices

Push button setup feature makes wireless configuration secure and simple

High security: Wi-Fi Protected Access™ 2 (WPA2), wireless MAC address filtering, powerful SPI firewall

Wireless-G Broadband Router with SpeedBooster

Model No: WRT54GS

CISCO

PRODUCT DATA

Features

- Complies with 802.11g and 802.11b (2.4GHz) Standards
- SpeedBooster technology increases wireless performance.
- Unsurpassed Wireless Security with Wi-Fi Protected Access™ 2 (WPA2)
- Enhanced Internet Security
 Management Functions
 including Internet Access
 Policies with Time Schedules
- All LAN Ports Support Auto-Crossover (MDI/MDI-X) - No Need for Crossover Cables
- SecureEasySetup push button makes it easy to configure your wireless devices

Wireless-G Broadband Router with SpeedBooster

The Wireless-G Broadband Router with SpeedBooster is really three devices in one box. First, there's the Wireless Access Point, which lets you connect Wireless-G, Wireless-B, and other performance-enhanced SpeedBooster devices to the network. There's also a built-in 4-port full-duplex 10/100 Switch to connect your wired-Ethernet devices together. Finally, the Router function ties it all together and lets your whole network share a high-speed cable or DSL Internet connection.

The Wireless-G Broadband Router with SpeedBooster incorporates the next generation of Wireless-G (802.11g) networking. SpeedBooster technology is a compatible add-on to standard Wireless-G, which increases "real-world" wireless network performance. Unlike other speed-enhancing technologies, SpeedBooster is fully 802.11 compliant, and a "good neighbor" to other wireless devices and technologies, using a single 2.4GHz channel as specified by the official wireless standard. And, unlike other technologies, with SpeedBooster you'll see an overall speed improvement even when running a mixed network of SpeedBooster and regular Wireless-G devices.

The new push button setup feature makes it easy to configure your wireless devices. Just push the button on the router and on your other SecureEasySetup-enabled wireless device to automatically create an encryption-secured wireless connection. Wi-Fi Protected Access™2 (WPA2) protects your data and privacy with up to 128-bit industrial-strength encryption and 802.1x authentication and authorization. The Router can serve as a DHCP Server, has a powerful SPI firewall to protect your PCs against intruders and most known Internet attacks, and supports VPN pass-through. Configuration is a snap with the web browser-based configuration utility.

With the Linksys Wireless-G Broadband Router with SpeedBooster at the center of your home or office network, you can share a high-speed Internet connection, files, printers, and multi-player games with the flexibility, speed, security and simplicity!

PRODUCT DATA

Wireless-G Broadband Router with SpeedBooster

Specifications

Model Number WRT54GS

Standards IEEE 802.3, IEEE 802.3u, IEEE 802.11g, IEEE 802.11b

Channels 11 Channels (US, Canada)

13 Channels (Europe and Japan)

Ports/Buttons Internet: One 10/100 RJ-45 Port

LAN: Four 10/100 RJ-45 Switched Ports

One Power Port
One Reset Button
One SES Button

Cabling Type CAT 5

LEDs Power, DMZ, WLAN, LAN (1, 2, 3, 4), Internet

RF Power Output 18 dBm UPnP able/cert able

Security features Stateful Packet Inspection (SPI) Firewall, Internet Policy

Wireless Security Wi-Fi Protected Access™ 2 (WPA2), WEP,

Wireless MAC Filtering

Environmental

Dimensions 7.32" x 1.89" x 6.06" (186 mm x 48 mm x 154 mm)

Weight 13.58 oz (385 g)

Power External, 12V DC, 0.5A

Certifications FCC, IC-03, CE, Wi-Fi (802.11b, 802.11g), WPA2, WMM

Operating Temp. 32°F to 104F (0°C to 40°C) Storage Temp. -4°F to 158°F (-20°C to 70°C) Operating Humidity 10∼85% Non-condensing Storage Humidity 5∼90% Non-condensing

Warranty 1-Year Limited

Package Contents

- · Wireless-G Broadband Router with SpeedBooster
- Setup CD-ROM with Norton Internet Security
- · User Guide on CD-ROM
- Power Adapter
- · Ethernet Network Cable

Minimum Requirements

- Internet Explorer 6.0 or Firefox 1.0 or Higher for Web-based configuration
- · CD-ROM Drive
- · Windows 2000, XP, or Vista
- · Network Adapter or Wireless Network Adapter

The maximum performance for wireless is derived from IEEE Standard 802.11 specifications. Actual performance can vary, including lower wireless network capacity, data throughput rate, range and coverage. Performance depends on many factors, conditions and variables, including distance from the access point, volume of network traffic, building materials and construction, operating system used, mix of wireless products used, interference and other adverse conditions.

Check the product package and contents for specific features supported. Specifications are subject to change without notice. Linksys is a registered trademark or trademark of Cisco Systems, Inc. and/or its affiliates in the U.S. and certain other countries. Copyright © 2007 Cisco Systems, Inc. All rights reserved. Other brands and product names are trademarks or registered trademarks of their respective holders.

Linksys A Division of Cisco Systems, Inc. 121 Theory Irvine, CA 92617 USA

E-mail: sales@linksys.com support@linksys.com

Web: www.linksys.com

Linksys products are available in more than 50 countries, supported by 12 Linksys Regional Offices throughout the world. For a complete list of local Linksys Sales and Technical Support contacts, visit our worldwide website at www.linksys.com

70409NC BW Model No: **WRT54GS**