



4G LTE LTE-Advanced Mobile Wi-Fi M7300 V2

Highlights

- **FDD/TDD LTE** Fully Compatible with FDD-LTE & TDD-LTE
- 10hours Usage 2000mAh battery for at least 10 hours of usage

- optional storage




• Lightning 4G Speeds – Up to 150Mbps download and 50Mbps upload speeds

• Network Sharing – Provide internet access for up to 11 devices* simultaneously

• **tpMiFi App** – Easily manage Mobile Wi-Fi on connected iOS/Android devices

• Storage Wireless Sharing – Equipped with a Micro SD card slot for up to 32GB of

*10 wireless devices + 1 wired device



Features




Speed

- Lightning LTE Up to 150Mbps download speeds and 50Mbps upload speeds
 - **300Mbps Hotspot** Wi-Fi Hotspot at speeds of 300Mbps



Network Sharing

- 10 Wi-Fi Devices Support up to 10 wireless devices simultaneously
- Wired Connection Provide internet access for Wi-Fi unable device via a USB cable



Battery Life

- 2000mAh 2000mAh internal battery
- 10 hours 10 hours of 4G sharing
- 600 hours 600 hours of standby

* Service duration may vary due to different user environments.

Features



Compatibility


- 4G LTE Support TDD-LTE/FDD-LTE network
- **3G/2G** Compatible with 3G/2G network



Easy Using

- **One-Key Setup** To create a 4G hotspot, just insert a SIM card and press the power button.
- **Compact Design** Suitable for traveling, business trips, outdoor activities or wherever you may be
- tpMiFi App Easily manage Mobile Wi-Fi on connected iOS/Android devices





Storage Sharing

- **Storage Sharing** Easily share photos, music, videos and more wirelessly across your network
- **Up to 32GB** Equipped with a Micro SD card slot for up to 32GB of optional storage

* Micro SD card sold separately.

* You can access the inserted Micro SD card and share files using tpMiFi app.

Specifications

Hardware

- Interfaces: 1 Micro USB port, 1 SIM card slot, 1 Micro SD card slot
- Micro SD Card Reader: Up to 32GB
- Button: Power On/Off Button
- LED Display: Wi-Fi status, Internet connection status, Battery status
- External Power Supply: 5V/1A
- **Dimensions (W x D x H):** 4.0 × 2.5 × 0.6 in. (102.6×63×16mm)
- Antenna: Internal Antennas

Wireless

- - 2G: EDGE/GPRS/GSM (850/900/1800/1900MHz)
- Wireless Standards: IEEE 802.11b/g/n 2.4GHz
- Frequency: 2.4GHz
- Signal Rate: 300Mbps
- Transmit Power: <33dBm

- DHCP: Server, Client, DHCP Client List

• Network Type: 4G: FDD-LTE Cat4 (800/900/1800/2100/2600MHz)

- TDD-LTE Cat4 (2300/2500/2600MHz)
- 3G: DC-HSPA+/HSPA/UMTS (900/2100MHz)

• Reception Sensitivity: 11b 11Mbps: -76dBm; 11g 54Mbps: -65dBm; 11n HT20 MCS7: -64dBm; 11n HT40 MCS7: -61dBm; Wireless Security: Support WPA-PSK/WPA2-PSK, Wireless MAC Filtering, Enable/Disable SSID Broadcast

Specifications

Others

Package Contents

- · LTE-Advanced Mobile Wi-Fi M7300
- · 2000mAh Battery
- · Micro USB Cable
- · Micro to Standard SIM Card Adapter
- · Nano to Standard SIM Card Adapter
- · Power Adapter
- · Quick Installation Guide
- · Technical Support Card

Certification

· CE, RoHS

System Requirements

- · Windows 10/8/7/vista/XP, Mac OS, Android, iOS
- · Subscription with an Internet Service Provider (for Internet access)

Environment

- · Operating Temperature: $0^{\circ}C \sim 35^{\circ}C$ ($32^{\circ}F \sim 95^{\circ}F$)
- · Storage Temperature: -20℃~60℃ (-4°F ~140°F)
- · Operating Humidity: 10%~90% non-condensing
- Storage Humidity: 5%~90% non-condensing



For more information, please visit http://WWW.TP-LINK.COM/en/products/details/?model=M7300 or scan the QR code left

Specifications are subject to change without notice. TP-LINK is a registered trademarks or registered trademarks of their respective holders. No part of the specifications may be reproduced in any form or by any means or used to make any derivative such as translation, transformation, or adaptation without permission from TP-LINK Technologies CO., Ltd.

Similar Products



M7350

www.tp-link.com

TP-LINK[°] LTE-Advanced Mobile Wi-Fi M7300